



*the*  
**door**  
*collection*

**DATIM**

Think Doors...Think Datim

**DATIM**







“ A varied door collection carefully selected to give diverse styles and finishes suitable for all applications giving your project the ‘DATIM’ edge.





HQ and factory, Chesterfield, UK

# DATIM

*The leading brand that  
delivers quality doors,  
on time, every time!*



CNC machine department



# DATIM: the **leading brand** that delivers **quality** doors, **on time, every time!**

DATIM is a family owned business founded in 1976. We have combined the best door manufacturing processes with our in-depth knowledge of the industry to create this individually crafted Door range. DATIM is the ultimate solution for those who understand that doors play a leading role in any building's design.

Today we continue to build on our core values, striving to continually improve our service and strengthen our client relationships.



## Attention to **detail**

- Scheduling: Our fire door scheduling service ensures the correct specification for every door
- Safety: we ensure that all Building Standards and legislation are complied with
- Doorpac'd ironmongery: individually packaged for each door to ensure quick and easy fitting on-site

## Quality **Manufacturing**

- In-house manufacturing
- Doors pre-hung in the frame,
- Ironmongery is factory morticed and installed

## Total **flexibility**

- Bespoke solutions: we can design and develop a Door that will complement any design and blend in with their surroundings
- Special finishes are available such as veneer stains, full factory paint in any colour, metallic and hard wood inlays and directional grain veneers





page. 8

-

## LAMINATED RANGE

Our laminated door range is the most durable option, the door is faced with a HD laminate with many options including; wood grain finishes and solid colours, a concealed lipping is applied to all 4 edges, this can be complimentary or contrasting and in many different hardwoods.



page. 24

-

## PRIMED RANGE

Our white primed range of doors are supplied with an A/C primer, providing an excellent base for a final paint finish. White primed doors allow you to create a soft classical or contemporary finish, we also offer a fully factory painted option to take this process off site, and achieve a high quality finish.



page. 48


-

## WOOD RANGE

Our real wood veneer doors bring luxury to any environment. All doors within the range are fully factory finished to the highest standard and feature a hardwood lipping to all four edges for added flexibility and durability.









## LAMINATED RANGE.

### Current trends

DATIM's range of laminated doors incorporates the latest trends in the practical use and decoration of interior spaces, offering innovative designs with textured laminated finishes on natural pores.

The feel and visual appearance of wood finishes create a contemporary warm and pleasant atmosphere. Ideal for all types of environments, they come in a wide variety of finishes, models and options.











▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.

MODEL 1001/B

SLOVENIAN ASH 4 H grooves & 2 H grooves



▼ DETAILS



▼ DESIGN





MODEL 1002/A

GREY OAK Flushed & glazed



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



Dimensions of glazing models available on request.

MODEL 1002/B

GREY OAK 2 H grooves & 5 H grooves



▼ DETAILS



▼ DESIGN







▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
		381	762
<b>Width</b>	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.

MODEL 1003/B

RUSTIC OAK 4 H grooves & 5 H 2V ladder



▼ DETAILS



▼ DESIGN





MODEL 1004/A

LIBERAL GREY Flushed & glazed



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.

MODEL 1004/B

LIBERAL GREY 4 H grooves & 2 V grooves



▼ DETAILS



▼ DESIGN





MODEL 1005/A

NATURAL GREY Flushed & glazed



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.

MODEL 1005/B

NATURAL GREY 2 H grooves & 5 H grooves



▼ DETAILS



▼ DESIGN







MODEL 1001/A

SLOVENIAN ASH



MODEL 1001/B

SLOVENIAN ASH  
4 H grooves



MODEL 1002/A

GREY OAK



MODEL 1002/B

GREY OAK  
2 H grooves



MODEL 1003/A

RUSTIC OAK



MODEL 1003/B

RUSTIC OAK  
5H ladder



MODEL 1004/A

LIBERAL GREY



MODEL 1004/B

LIBERAL GREY  
2 V grooves



MODEL 1005/A

NATURAL GREY



MODEL 1005/B


NATURAL GREY  
2 H grooves

▶ LARGE SELECTION OF FURTHER COLOURS AND FINISHES - REQUEST A SAMPLE SWATCH




## FINISHES

Textured laminate on natural pore




## GROOVING

Options



Birdsmouth Joint

Square




Half Round


V Groove

## DOOR CONSTRUCTION

- » Hardwood lippings to all 4 edged as options shown or 2mm matching ABS.
- » NFR & FD30 door cores are solid and 44mm in thickness.
- » FD60 door cores are solid and 54mm in thickness.




## FRAME ASSEMBLY



## GLAZING BEAD

Options



Flush

Hockey Stick

Sqaure Belection

# SPEEDfix

Our DATIM **SPEEDfix**<sup>™</sup> system is a pre-assembled doorset with the mortice ironmongery factory fitted. Each assembled doorset is also supplied with stops and architrave including the relevant seals to achieve the required fire integrity and acoustic performance.

See page 66 for details

## MEASUREMENTS

### POPULAR INTERNAL DOOR SIZES

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
		381	526
Width	»	457	626
		533	726
		610	826
		686	926
		711	-
		762	-
		813	-
		838	-
		864	-
	915	-	

## ARCHITRAVE

Options

Please see pages 68-69



**DATIM**







UNIVERSITY  
OF LINCOLN  
Student accomodation



## PRIMED RANGE. Outstanding elegance

The elegance of lacquer, the quality of the finish, the brightness of the colour white and the contemporary look of our designs are without a doubt the functional and decorative touch that the most modern spaces need.

This is currently a popular choice for interior doors and is available in multiple models with a variety of finishes.









DETAILS




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
		381	762
<b>Width</b>	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.



OTHER FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	526
		457	626
		533	726
		610	826
		686	926
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.



DETAILS




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
		381	762
Width	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.





OTHER FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
		381	762
<b>Width</b>	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.



DETAILS




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
		381	526
<b>Width</b>	»	457	626
		533	726
		610	826
		686	926
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.



OTHER FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	762
		457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



1VCNA

3VCNA

4VCNA

Dimensions of glazing models available on request.





▼ DETAILS




Carving with right angle (also available in round angle).

▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
<b>Height</b>	»	1981		2040
		381	762	526
<b>Width</b>	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



Dimensions of glazing models available on request.



OTHER FINISHES




Carving with right angle (also available in round angle).

STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



3V

4V

Dimensions of glazing models available on request.

MODEL 740

PRIMED 4 W groves



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
<b>Height</b>	»	1981		2040
		381	762	526
<b>Width</b>	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



3V

4V

Dimensions of glazing models available on request.





OTHER FINISHES




Carving with right angle (also available in round angle).

STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	526
		457	626
		533	726
		610	826
		686	926
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



1V

Dimensions of glazing models available on request.



DETAILS




Carving with right angle.

STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



3V

4V

Dimensions of glazing models available on request.



OTHER FINISHES




Carving with round angle (also available in right angle).

STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
Width	»	381	762
		457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



6V

Dimensions of glazing models available on request.





DETAILS




Carving with round angle (also available in right angle).

STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
		381	762
Width	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

GLAZING OPTIONS



6V

For more Dimensions, of glazing in models or as a glazing request.



OTHER FINISHES




Carving with right angle.

STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



1V

For more information of glazing models and glazing requests.

MODEL

940

COTTAGE 5 P glazed & 5 P solid



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



For more Dimensions, of glazing in made to order as a glazing requests.





MODEL

950

CLASSIC 1 P



▼ DETAILS



▼ STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)	
Height	»	1981		
		2040		
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.



▼ OTHER FINISHES



▼ STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
		381	762
<b>Width</b>	»	457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.



FLUSH



MODEL 100



MODEL 120



MODEL 200



MODEL 400



MODEL 420



MODEL 520

GROOVED



MODEL 580



MODEL 590



MODEL 740



MODEL 750



MODEL 840



MODEL 880



MODEL 900



MODEL 920



MODEL 940




MODEL 950




MODEL 970

## FINISHES




## DOOR CONSTRUCTION

- » Hardwood lippings to all 4 edges as options shown or 2mm matching ABS.
- » NFR & FA30 door cores are solid and 44mm in thickness.
- » FD60 door cores are solid and 54mm in thickness.




## GROOVING

Options



Birdsmouth Joint


Square



Half Round


V Groove

## FRAME ASSEMBLY



## GLAZING BEAD

Options



Flush

Hockey Stick

Sqaure Belection

## MEASUREMENTS

### POPULAR INTERNAL DOOR SIZES

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
		381	526
Width	»	457	626
		533	726
		610	826
		686	926
		711	-
		762	-
		813	-
		838	-
		864	-
	915	-	

## ARCHITRAVE

Options

Please see pages 68-69

# SPEEDfix

Our DATIM **SPEEDfix**<sup>™</sup> system is a pre-assembled doorset with the mortice ironmongery factory fitted. Each assembled doorset is also supplied with stops and architrave including the relevant seals to achieve the required fire integrity and acoustic performance.

See page 66 for details

# DATIM







# OCEAN VILLAGE

Southampton Hotel and  
residential development





## WOOD RANGE. Natural character

Interior doors with different types of natural wood veneers with minimalist designs, simple and modern, that combine natural elegance with the warmth, attractiveness & practicality of design, decorating spaces as well as separating them.




MODEL

2001

OAK Flush & glazed



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS




Dimensions of glazing models available on request.





AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
<b>Height</b>	»	1981		2040
		381	762	526
<b>Width</b>	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.




MODEL

2003

STEAMED BEECH cross direction & 4 V glazed



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.


GLAZING OPTIONS



Dimensions of glazing models available on request.



▼ AVAILABLE FINISHES




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	762
		457	813
		533	838
		610	864
		686	915
		711	-

Bespoke sizes available on request.

▼ GLAZING OPTIONS



Other bespoke designs available on request

Dimensions of glazing models available on request.


MODEL

2005

STEAMED BEECH 2 V groove & 4 V glazed



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.


GLAZING OPTIONS



Dimensions of glazing models available on request.



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.




MODEL

2007

STRAIGHT LINE OAK 4 H ladder & 4 V glazed



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.


MODEL

2008

OAK 5 H ladder & 3 V glazed



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.


GLAZING OPTIONS



Dimensions of glazing models available on request.



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.


GLAZING OPTIONS



Dimensions of glazing models available on request.



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
		381	762	526
Width	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS




Dimensions of glazing models available on request.





▼ AVAILABLE FINISHES




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
<b>Height</b>	»	1981		2040
		381	762	526
<b>Width</b>	»	457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.


▼ GLAZING OPTIONS



Dimensions of glazing models available on request.



AVAILABLE FINISHES




STANDARD SIZES AVAILABLE

		Imperial (mm)		Metric (mm)
Height	»	1981		2040
Width	»	381	762	526
		457	813	626
		533	838	726
		610	864	826
		686	915	926
		711		-

Bespoke sizes available on request.

GLAZING OPTIONS



Dimensions of glazing models available on request.


MODEL

2013

SAPELE OVIDEDO solid



▼ DETAILS




▼ STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	526
		457	626
		533	726
		610	826
		686	926
		711	-

Bespoke sizes available on request.



OTHER FINISHES



STANDARD SIZES AVAILABLE

		Imperial (mm)	Metric (mm)
<b>Height</b>	»	1981	2040
<b>Width</b>	»	381	526
		457	626
		533	726
		610	826
		686	926
		711	-

Bespoke sizes available on request.





MODEL 2001



MODEL 2002



MODEL 2003



MODEL 2004



MODEL 2005



MODEL 2006



MODEL 2007



MODEL 2008



MODEL 2009



MODEL 2010



MODEL 2011



MODEL 2012



MODEL 2013



MODEL 2014


## FINISHES

Real wood veneer options




## DOOR CONSTRUCTION

- » Hardwood lippings to all 4 edges as options shown or 2mm matching ABS.
- » NFR & FA30 door cores are solid and 44mm in thickness.
- » FD60 door cores are solid and 54mm in thickness.




## GROOVING

Options




## FRAME ASSEMBLY



## GLAZING BEAD

Options



## MEASUREMENTS

POPULAR INTERNAL DOOR SIZES

		Imperial (mm)	Metric (mm)
Height	»	1981	2040
		381	526
Width	»	457	626
		533	726
		610	826
		686	926
		711	-
		762	-
		813	-
		838	-
		864	-
		915	-

## ARCHITRAVE

Options

Please see pages 68-69

# SPEEDfix

Our DATIM **SPEEDfix**<sup>™</sup> system is a pre-assembled doorset with the mortice ironmongery factory fitted. Each assembled doorset is also supplied with stops and architrave including the relevant seals to achieve the required fire integrity and acoustic performance.

See page 66 for details

# SPEED **fix**

Our DATIM **SPEEDfix**<sup>™</sup> system is a pre-assembled doorset with the mortice ironmongery factory fitted. Each assembled doorset is also supplied with stops and architrave including the relevant seals to achieve the required fire integrity and acoustic performance.

**Engineered to be easy to install, with the following benefits:**

- Adjustable architrave (+/- 6mm) to accommodate varying wall thicknesses without unsightly gaps between the architrave and wall
- Architrave is supplied mitred and cut to length
- Architrave machined for double Hoffmanns clip system fitting to ensure a tight and flush mitre joint
- A leading edge is machined on the lock side of each door to assist closing against smoke seals (single leaf doors only)
- Mortice ironmongery with the correct intumescent material is factory cut and fitted
- Threshold gaps (undercuts) are machined to suit your floor finishes and build program whilst ensuring that the essential 10mm required for all fire doors is not exceeded (3mm on smoke doors without dropdown seals)
- Doorstops supplied cut to length and a T&G design for ease of installation and fixing
- Frame fixing locations are pre-drilled for fire certification and are hidden by the door stop






SPEEDFIX



▼ ARTDECO




▼ V GROOVE




▼ V GROOVE 1



▼ CHAMF RND 15



▼ CHAMF RND 18



▼ EDWARDIAN



▼ EDWARDIAN 1



▼ GEORGIAN



▼ LAMBS TONGUE




▼ OGEE



▼ OGEE 1



▼ OVOLO



▼ OVOLO 1



▼ PENCIL RND



▼ SQUARE



▼ SQUARE GROOVE



▼ TORUS



▼ VICTORIAN



# OUTSTANDING IRONMONGERY SOLUTIONS

70

ESTILO IRONMONGERY

If you're looking for the best in architectural ironmongery, DATIM presents one simple solution. With a superb range of products backed by incredible service, everything you need is right here. From architectural ironmongery, to multi-unit mailboxes and access control products, we keep thousands of items ready for same or next-day delivery.

The Estilo range gives more choice to architects and specifiers. Its levers and pull handles are available in a variety of traditional shapes, which are further complemented by a selection of modern, contemporary designs. Built to last from the highest quality materials, each Estilo product is also easy to install and requires little or no maintenance. In other words, an ideal solution to your architectural ironmongery requirements.

**Speak with our team today about your requirements.**

01246 572277 • [sales@datim.co.uk](mailto:sales@datim.co.uk)

[www.datim.co.uk](http://www.datim.co.uk)







**D264**  
 Size Options:  
 400mm, 500mm,  
 750mm (DIA)  
 Fixing Options:  
 BT, BB, CR  
 Finish Options:  
 SSS, P55




**D263**  
 Size:  
 300mm  
 Fixing Options:  
 BT, BB, CR  
 Finish Options:  
 SSS, P55




**2104**  
 Size Options:  
 19 x 205mm,  
 19 x 425mm,  
 23 x 400mm  
 Fixing Options:  
 BT, BB, CR  
 Finish Options:  
 SSS, P55




**E401**  
 Size Options:  
 300 x 14mm,  
 300 x 25mm,  
 400 x 25mm,  
 1200 x 25mm  
 Fixing:  
 BT  
 Finish:  
 SSS



**E410**  
 Size:  
 300mm  
 Fixing Options:  
 BT, BB  
 Finish:  
 SSS




**E303**  
 Size Options:  
 300mm, 425mm,  
 400mm  
 Fixing:  
 BT  
 Finish:  
 SSS



Lever Handles

**E103**  
 Size:  
 19mm  
 Rose Options:  
 Bruw Sprung, Keim Ursprung  
 Finish:  
 SSS



**DATIM**

**ESTILO**  
 Product Range

- Lever Handles
- Pull Handles
- Door Closers
- Safety Devices
- Cylinders & Turns
- Locks & Latches
- Hinges
- Access Control





01246 572277  
sales@datim.co.uk

**Datim Supplies** Foxwood Industrial Park,  
Foxwood Road, Chesterfield, S41 9RN

**DATIM**  
[www.datim.co.uk](http://www.datim.co.uk)