



CERTIFICATE OF APPROVAL

No CAF 5083

This is to certify that, in accordance with
TS00 General Requirements for Certification of Fire Protection Products
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers
as Converted by**

Datim Limited

**Datim Limited, Foxwood Industrial Estate, Foxwood Road,
Chesterfield, S41 9RN
01246 572277**

Have been assessed against the requirements of the Technical Schedule(s)
denoted below and are approved for use subject to the conditions
appended hereto:

SCOPE OF APPROVAL

Approved for processing* of fire
doors and/or blanks
manufactured by CERTIFIRE
approved companies as specified
in this certificate: Blank
conversion, apertures; glazing of
apertures and door frames

TECHNICAL SCHEDULE

TS10 Fire Resisting Door
Assemblies with non- Metallic
Leaves

* Not all processes are suitable for all door constructions.

Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited

**Paul Duggan
Certification Manager**



Issued: 8th June 2022
Audit Test Frequency: Annually
Valid to: 7th June 2027



Page 1 of 3



CERTIFICATE No CAF 5083 Datim Limited

GLAZED APERTURES and DOOR FRAMES (Premdor Crosby Limited)

1. This approval relates to the cutting of apertures with or without glazing in doors supplied by Premdor Crosby Limited and to the manufacture of doorframes. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified doors for which the cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Resizing	Door Assemblies	
						Doorsets	Doors & Frames
CF195	FD30 Premdor Fireshield	✓	✓	✓	✗	✓	✓
CF198	FD30 Moulded Skin Chipboard Core	✓	✓	✓	✗	✓	✓
CF240	FD30 Premcore	✓	✓	✓	✓	✓	✓
CF240A	FD30 Strebord 44	✓	✓	✓	✓	✓	✓
CF241	FD60 Premcore	✓	✓	✓	✓	✓	✓
CF241A	FD60 Strebord 54	✓	✓	✓	✓	✓	✓
CF302	FD60 Flaxcore	✗	✗	✓	✗	✓	✓
CF380	FD30 Tubecore Lite	✓	✓	✓	✗	✓	✓
CF625	FD30 PremCORE Lite (L)	✓	✓	✓	✓	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Apertures, glazing and frames shall be in accordance with Premdor Crosby Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Premdor Crosby Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry both the original manufacturer's CERTIFIRE approval label, a second label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, and the CERTIFIRE certificate number and a unique serial number.

Signed
E/473

Page 2 of 3

Issued: 8th June 2022
Valid to: 7th June 2027

CERTIFICATE No CAF 5083 Datim Limited


GLAZED APERTURES and DOOR FRAMES (Norma Doors)

1. This approval relates to the cutting of apertures with or without glazing in doors supplied by Norma Doors and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified doors for which the cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Resizing	Door Assemblies	
						Doorsets	Doors & Frames
CF292	FD30 Doors	✓	✓	✓	×	✓	✓
CF5611	FD30 RF T-30 Moulded	×	×	✓	×	✓	✓
CF5674	FD60 RF T-60 B	×	×	✓	×	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Apertures, glazing and frames shall be in accordance with Norma Doors construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Norma Doors procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry both the original manufacturer's CERTIFIRE approval label, a second label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, and the CERTIFIRE certificate number and a unique serial number.

Signed 
E/473

Issued: 8th June 2022
Valid to: 7th June 2027