



012

# CERTIFICATE OF REGISTRATION

This is to certify that

## **Datim Limited**

Foxwood Industrial Estate  
Foxwood Road  
Chesterfield  
Derbyshire  
S41 9RN

Meets the requirements of the BM TRADA **Q-Mark Fire Door Manufacture** scheme to **STD 006**

**Steve Roberts**  
**Product Certification Operations Manager**  
For and on behalf of BM TRADA

**Certificate Number**

957

**Date of Initial Certification**

8 April 2016

**Date of Last Issue**

7 April 2022

**Date of Expiry**

6 April 2025

## Registration Schedule

|               |  |
|---------------|--|
| <b>Branch</b> | <b>Address</b>   |
| Datim Limited | Foxwood Industrial Estate<br>Foxwood Road<br>Chesterfield, Derbyshire<br>S41 9RN |

### Scope

**Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)**

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

| FoA Report     | System Supplier owner of FoA Report | Doorset Description  | Rating | Test Type     |
|----------------|-------------------------------------|--|--------|---------------|
| Chilt/A13085   | Egger                               | Egger FD30 and FD30 Décor (Glazed/Unglazed)                                      | 30min  | BS476 Part 22 |
| FEA/F98164     | Pacific Rim Wood                    | Flamebreak 30 (Glazed/Unglazed)  | 30min  | BS476 Part 22 |
| FEA/F02141     | Pacific Rim Wood                    | Flamebreak 60 (Glazed/Unglazed)  | 60min  | BS476 Part 22 |
| Chilt/A01204   | Halspan 30 Optima                   | Optima 30 (Glazed/Unglazed)  | 30min  | BS476 Part 22 |
| Chilt/A01205   | Halspan 60 Optima                   | Optima 60 (Glazed/Unglazed)  | 60min  | BS476 Part 22 |
| FEA/F97174     | Halspan Limited                     | Prima 30 (Glazed/Unglazed)   | 30min  | BS476 Part 22 |
| FEA/F96103     | Halspan Limited                     | Prima 60 (Glazed/Unglazed)   | 60min  | BS476 Part 22 |
| Chilt/A02066   | Falcon Panel Products               | Strebord 44 (Glazed/Unglazed)  | 30min  | BS476 Part 22 |
| Chilt/A02067   | Falcon Panel Products               | Strebord 54 (Glazed/Unglazed)  | 60min  | BS476 Part 22 |
| Chilt/A09104   | Falcon Panel Products               | Strebord 44 Panelled Doorsets  | 30min  | BS476 Part 22 |
| Chilt/A10152   | Falcon Panel Products               | Strebord 54 Panelled Doorsets  | 60min  | BS476 Part 22 |
| BMT/CNA/F15159 | Falcon panel products               | Stredor 44 (Glazed/Unglazed)   | 30min  | BS476 Part 22 |
| WF377027       | Falcon panel products               | Stredor 54 (Glazed/Unglazed)   | 60min  | BS476 Part 22 |
| Chilt/A13058   | Moralt AG                           | LAMINESSE FireSafe and FireSmoke 44mm (Glazed/Unglazed)                          | 30min  | BS476 Part 22 |
| Chilt/A13059   | Moralt AG                           | LAMINESSE FireSafe and FireSmoke 54mm (Glazed/Unglazed)                          | 60min  | BS476 Part 22 |
| BMT/CNA/F14274 | Moralt AG                           | Moralt laminesse Firesound 44mm (Glazed/Unglazed)                                | 30min  | BS476 Part 22 |
| WF409923       | Moralt AG                           | LAMINESSE FireSound 59mm (Glazed and Unglazed)                                   | 30min  | BS476 Part 22 |
| WF409923       | Moralt AG                           | LAMINESSE FireSound 59mm (Glazed and Unglazed)                                   | 60min  | BS476 Part 22 |
| WF409923       | Moralt AG                           | LAMINESSE FireSound 59mm (Glazed and Unglazed)                                   | 90min  | BS476 Part 22 |
| WF409922       | Moralt AG                           | LAMINESSE FireSound 54mm (Glazed and Unglazed)                                   | 30min  | BS476 Part 22 |
| WF409922       | Moralt AG                           | LAMINESSE FireSound 54mm (Glazed and Unglazed)                                   | 60min  | BS476 Part 22 |
| FEA/F99112A    | Vicaima FD30                        | FD30 – Flaxboard or chip core (Glazed/Unglazed)                                  | 30min  | BS476 Part 22 |
| Chilt/A13093   | Vicaima FD60                        | Vicaima Halspan 60 Doorsets (Glazed/Unglazed)                                    | 60min  | BS476 Part 22 |
| WF399982       | Deanta UK Ltd                       | Deanta Panelled Stile and Rail Veneered Doorset Type 1 (Glazed/unglazed)         | 30min  | BS EN 1634-1  |
| WF399982       | Deanta UK Ltd                       | Deanta Panelled Stile and Rail Veneered Doorset Type 2 (Glazed/unglazed)         | 30min  | BS EN 1634-1  |
| WF399990       | Deanta UK Ltd                       | Deanta Flush MDF Faced Doorset Type 3 Option 1 (Glazed/unglazed)                 | 30min  | BS EN 1634-1  |
| WF399990       | Deanta UK Ltd                       | Deanta Flush MDF Faced Doorset Type 3 Option 2 (Glazed/unglazed)                 | 30min  | BS EN 1634-1  |
| WF399991       | Deanta UK Ltd                       | Deanta Panelled Stile and Rail MDF Faced Doorset Type 4 Option 1 (Unglazed only) | 30min  | BS EN 1634-1  |
| WF399991       | Deanta UK Ltd                       | Deanta Panelled Stile and Rail MDF Faced Doorset Type 4 Option 2 (Unglazed only) | 30min  | BS EN 1634-1  |
| WF399992       | Deanta UK Ltd                       | Deanta Flush Veneered Doorset Type 5 (Glazed/unglazed)                           | 30min  | BS EN 1634-1  |
| WF 414545      | Ventro group                        | Ventro 30 minute doorset (unglazed leaf, glazed fanlights optional)              | 30min  | BS476 Part 22 |

**Winkhaus reports not to be used with any other report.**

| Assessment/ Test Report | Owner of Assessment/ Report | Doorset Description  | Rating | Test Type   |
|-------------------------|-----------------------------|--|--------|-------------|
| BMT/CNA/F15084          | Winkhaus UK Ltd             | Winkhaus Timber Frame with Halspan Blank (Glazed/unglazed) | 30min  | BSEN 1634-1 |
| BMT/CNA/F15084          | Winkhaus UK Ltd             | Winkhaus Timber Frame with Halspan Blank (Glazed/unglazed) | 60min  | BSEN 1634-1 |

**Falcon Exaps not to be used with any other reports**

| Extended application Report | System Supplier owner of Extended application Report | Doorset Description             | Rating | Test Type     |
|-----------------------------|--|---------------------------------|--------|---------------|
| WF417523                    | Falcon panel products                                | Strebord 44+ doorset (Unglazed) | 60min  | BS476 Part 22 |
| BMT/CNA/F14053              | Falcon panel products                                | Strebord 44 (GLAZED/UNGLAZED)   | 30min  | BS EN 1634-1  |
| BMT/CNA/F14054 Rev A        | Falcon panel products                                | Strebord 54 (GLAZED/UNGLAZED)   | 60mins | BS EN 1634-1  |

**Falcon front entrance range.**

| Assessment / Field of Application Report | Owner of Assessment       | Doorset Description   | Rating | Test Type     |
|--|---------------------------|---|--------|---------------|
| WF407090                                 | Falcon Panel Products Ltd | Strebord® 44 30 minute Front Entrance Doorsets (Glazed or Unglazed) | 30min  | BS476 Part 22 |
| WF407090                                 | Falcon Panel Products Ltd | Strebord® 54 30 minute Front Entrance Doorsets (Glazed or Unglazed) | 30min  | BS476 Part 22 |
| WF407090                                 | Falcon Panel Products Ltd | Stredor® 44 30 minute Front Entrance Doorsets (Glazed or Unglazed)  | 30min  | BS476 Part 22 |
| WF407090                                 | Falcon Panel Products Ltd | Stredor® 54 30 minute Front Entrance Doorsets (Glazed or Unglazed)  | 30min  | BS476 Part 22 |
| WF427764                                 | Falcon Panel Products Ltd | Strebord® 54 60 minute Front Entrance Doorsets (Glazed or Unglazed) | 60min  | BS476 Part 22 |
| WF427764                                 | Falcon Panel Products Ltd | Stredor® 54 60 minute Front Entrance Doorsets (Glazed or Unglazed)  | 60min  | BS476 Part 22 |

**Test Reports**

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

**No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.**

| Test Report | Owner of Test Report | Doorset Description                        | Rating | Test Type |
|-------------|----------------------|--|--------|-----------|
| WF 420338   | Datim supplies       | FD30 Strebord 44+ Salto Lockset (Unglazed) | 30min  | EN 1634-1 |